Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (canceled)
- 2. (canceled)
- 3. (canceled)
- 4. (canceled)
- (previously presented) A telephone device, comprising:
 current caller Caller ID memory adapted to receive incoming Caller
 ID data associated with an incoming call;
- a module to determine if a telephone call was answered by a person;
 - a Caller ID log adapted to contain a plurality of Caller ID data; and
- a processor adapted to store only a portion but not all of said received Caller ID data into said Caller ID log only if said incoming call was answered by a person.
 - 6. (canceled)
 - 7. (canceled)

CANNON – Appl. No. 09/434,992

8. (previously presented) A telephone device, comprising:
current caller Caller ID memory adapted to receive incoming a
Caller ID data associated with an incoming call;


a module to determine if a telephone call was answered by a person;

a Caller ID log adapted to contain a plurality of Caller ID data; and a processor adapted to store said received Caller ID data into said Caller ID log only if said incoming call went unanswered by a person, and only when said Caller ID log is more full than a predetermined threshold.

- 9. (canceled)
- 10. (canceled)
- 11. (currently amended) A telephone device according to claim 4 <u>5</u>, further comprising:

a telephone adapted for connection to a telephone network.

- 12. (canceled)
- 13. (canceled)
- 14. (canceled)
- 15. (canceled)
- 16. (canceled)
- 17. (canceled)
- 18. (canceled)



31. (previously presented) A method of receiving an incoming telephone call, comprising:

receiving Caller ID data associated with the incoming telephone call;

determining if the incoming telephone call has been answered by a person;

determining that a Caller ID log is more full than a predetermined threshold; and

if said Caller ID log is more full than said predetermined threshold, storing said received Caller ID data into a Caller ID log only if said incoming telephone call went unanswered by a person.

32. (canceled)

33. (previously presented) A method of receiving an incoming telephone call as recited in claim 29, wherein:

said user input is activation of a keypad associated with a Caller ID device.

34. (previously presented) A method of receiving an incoming telephone call as recited in claim 33, further comprising:

storing a message associated with said incoming telephone call.